

Overview

- [Download](#)
- [Working with the source code of the examples on your Web server](#)
- [Working with the source code of the examples directly on the WCS server](#)
- [Source code of API and examples on Github](#)
- [Dependencies](#)
- [Known issues](#)

To develop web applications for streaming video and calls, use Web SDK. This is a set of scripts and examples to work with the WCS server.

Download

Download Web SDK bundle

https://docs.flashphoner.com/static/WebSDK2/Web_SDK_release_notes/#websdk_20_release_notes

Link to current JavaScript implementation

https://flashphoner.com/downloads/builds/flashphoner_client/wcs_api-2.0/current/flashphoner.js

API documentation

<http://flashphoner.com/docs/api/WCS5/client/web-sdk/latest>

Working with the source code of the examples on your Web server

To work with demo examples on your own Apache, Nginx, Tomcat, IIS, or any other Web server, use the latest available build of the web client:

https://docs.flashphoner.com/static/WebSDK2/Web_SDK_release_notes/#websdk_20_release_notes

The bundle looks as follows:

doc - JavaScript API documentation

examples – demo examples

flashphoner.js – the main API file you should add to your web page, it enables all supported technologies.

flashphoner-webrtc-only.js - the alternative API file if you plan to use WebRTC only

flashphoner-no-flash.js – the alternative API file if you don't plan using Flash

flashphoner-no-webrtc.js - the alternative API file if you don't plan using WebRTC

flashphoner-no-wsplayer.js - the alternative API file if you don't plan using the Websocket player

media-provider.swf – the file to support Flash operation

We will review individual examples below.

Working with the source code of the examples directly on the WCS server

If you installed Web Call Server, you can work with the source code of the demo examples directly.

The code of the examples is located at:

`/usr/local/FlashphonerWebCallServer/client2/examples/demo`

To test an individual example, open the corresponding page in the browser, for example:

<https://host:8888/client2/examples/demo/streaming/player/player.html>

Here, host is the address of your WCS server.

Therefore, you can make necessary changes to the scripts and test the modified demo example directly on the WCS server.

Source code of API and examples on Github

https://github.com/flashphoner/flashphoner_client/tree/wcs_api-2.0

Usually, you only need builds from the above links.

Most likely you will not need the source code. It is a last resort to make a quick fix on the API level.

In this documentation we use the source code to comment how examples work.

For example, this [line 3](#) is a reference to the third line of the source code of package.json with the hash of 0b891b8.

Dependencies

WebSDK is build with [webrtc/adapt](#)er library version not lower than 7.2.6. In this regard, direct use of this library together with WebSDK should be avoided.

Known issues

1. When web application is opened via WKWebView on iOS 11 and higher, stream playback works only via WSPPlayer, and stream publishing and playback via WebRTC do not work

Symptoms: when [Two-Way Streaming](#) example is opened in an iOS application using WKWebView to view web links (e.g., Telegram) both stream publishing and playback do not work; in [Player](#) example stream playback works via WSPPlayer.

The same way will work a web page opened from home screen, if its code contains

```
<meta name="apple-mobile-web-app-capable" content="yes" />
```

Solution: use WKWebView only for web applications designed for playing streams without calling getUserMedia() function, which is not supported in WKWebView.

In case WebRTC is required, remove <meta name="apple-mobile-web-app-capable" content="yes"> from page code to open it in Safari.