


# Two Way Streaming React

- [Overview](#)
- [Building the project](#)
- [Analyzing example code](#)

## Overview

Two Way Streaming React application shows how to use Web SDK in React application to publish and play WebRTC stream



The project is available on [GitHub](#) and in [Web SDK build archives](#) since build [2.0.201](#) by the following path `examples/react/two-way-streaming-react`.

## Building the project

1. Download WebSDK source code

```
git clone https://github.com/flashphoner/flashphoner_client.git
```

2. Go to the example folder

```
cd flashphoner_client/examples/react/two-way-streaming-react
```

3. Install dependencies

```
npm install
```

4. Build for local testing

```
npm start
```

or to deploy to your web server

```
npm run build
```

## Analyzing example code

To analyze the code take version with hash 456b1c7 which is available [here](#) and in Web SDK build [2.0.201](#)

Application code is in [TwoWayStreamingApp.js](#) file, additional functions are in [fp-utils.js](#) file

### 1. API import

[code](#)

```
import * as FPUtils from './fp-utils.js';
import * as Flashphoner from '@flashphoner/websdk';
```

### 2. API initialization

Flashphoner.init() [code](#)

```
componentDidMount() {
  try {
    Flashphoner.init({});
    ...
  }
  catch(e) {
    console.log(e);
    ...
  }
}
```

### 3. Connecting to the server and receiving the event confirming connection is established successfully

Flashphoner.createSession(), SESSION\_STATUS.ESTABLISHED [code](#)

```
onConnectClick = () => {
  let app = this;
  let url = this.state.serverUrl;
  let session = this.state.session;

  if (!session) {
    console.log("Create new session with url " + url);
    app.setState({connectButtonDisabled: true, serverUrlDisabled: true});
    Flashphoner.createSession({urlServer: url}).on(SESSION_STATUS.ESTABLISHED, (session) => {
      app.setState({sessionStatus: SESSION_STATUS.ESTABLISHED, sessionStatusClass: 'text-success'});
      app.onConnected(session);
    }).on(SESSION_STATUS.DISCONNECTED, () => {
      ...
    }).on(SESSION_STATUS.FAILED, () => {
      ...
    });
  }
  ...
}
```

### 4. Stream publishing

Session.createStream(), Stream.publish() [code](#)

```

publishStream = () => {
  let app = this;
  let session = this.state.session;
  let streamName = this.state.publishStreamName;
  let localVideo = this.state.localVideo;

  if(session && localVideo) {
    session.createStream({
      name: streamName,
      display: localVideo,
      cacheLocalResources: true,
      receiveVideo: false,
      receiveAudio: false
    }).on(STREAM_STATUS.PUBLISHING, (stream) => {
      ...
    }).on(STREAM_STATUS.UNPUBLISHED, () => {
      ...
    }).on(STREAM_STATUS.FAILED, () => {
      ...
    }).publish();
  }
}

```

#### 5. Receiving the event confirming the stream is successfully published

STREAM\_STATUS.PUBLISHING [code](#)

```

publishStream = () => {
  let app = this;
  let session = this.state.session;
  let streamName = this.state.publishStreamName;
  let localVideo = this.state.localVideo;

  if(session && localVideo) {
    session.createStream({
      ...
    }).on(STREAM_STATUS.PUBLISHING, (stream) => {
      app.setState({publishStatus: STREAM_STATUS.PUBLISHING, publishStatusClass: 'text-success'});
      app.onPublishing(stream);
    }).on(STREAM_STATUS.UNPUBLISHED, () => {
      ...
    }).on(STREAM_STATUS.FAILED, () => {
      ...
    }).publish();
  }
}

```

#### 6. Stream playback with picture resizing to div size

Session.createStream(), Stream.play(), STREAM\_STATUS.PENDING, FPUtills.resizeVideo() [code](#)

```

playStream = () => {
  let app = this;
  let session = this.state.session;
  let streamName = this.state.playStreamName;
  let remoteVideo = this.state.remoteVideo;

  if(session && remoteVideo) {
    session.createStream({
      name: streamName,
      display: remoteVideo
    }).on(STREAM_STATUS.PENDING, (stream) => {
      let video = document.getElementById(stream.id());
      if (!video.hasListeners) {
        video.hasListeners = true;
        video.addEventListener('resize', (event) => {
          FPUtills.resizeVideo(event.target);
        });
      }
    }).on(STREAM_STATUS.PLAYING, (stream) => {
      ...
    }).on(STREAM_STATUS.STOPPED, () => {
      ...
    }).on(STREAM_STATUS.FAILED, () => {
      ...
    }).play();
  }
}

```

## 7. Receiving the event confirming successful playback

STREAM\_STATUS.PLAYING [code](#)

```

playStream = () => {
  let app = this;
  let session = this.state.session;
  let streamName = this.state.playStreamName;
  let remoteVideo = this.state.remoteVideo;

  if(session && remoteVideo) {
    session.createStream({
      name: streamName,
      display: remoteVideo
    }).on(STREAM_STATUS.PENDING, (stream) => {
      ...
    }).on(STREAM_STATUS.PLAYING, (stream) => {
      app.setState({playStatus: STREAM_STATUS.PLAYING, playStatusClass: 'text-success'});
      app.onPlaying(stream);
    }).on(STREAM_STATUS.STOPPED, () => {
      ...
    }).on(STREAM_STATUS.FAILED, () => {
      ...
    }).play();
  }
}

```

## 8. Playback stopping

Stream.stop() [code](#)

```

onPlayClick = () => {
  let app = this;
  let stream = this.state.playStream;
  ...

  if (!stream) {
    ...
    app.playStream();
  } else {
    app.setState({playButtonDisabled: true});
    stream.stop();
  }
}

```

#### 9. Receiving the event confirming playback is stopped

STREAM\_STATUS.STOPPED [code](#)

```

playStream = () => {
  let app = this;
  let session = this.state.session;
  let streamName = this.state.playStreamName;
  let remoteVideo = this.state.remoteVideo;

  if(session && remoteVideo) {
    session.createStream({
      name: streamName,
      display: remoteVideo
    }).on(STREAM_STATUS.PENDING, (stream) => {
      ...
    }).on(STREAM_STATUS.PLAYING, (stream) => {
      ...
    }).on(STREAM_STATUS.STOPPED, () => {
      app.setState({playStatus: STREAM_STATUS.STOPPED, playStatusClass: 'text-success'});
      app.onStopped();
    }).on(STREAM_STATUS.FAILED, () => {
      ...
    }).play();
  }
}

```

#### 10. Publishing stopping

Stream.stop() [code](#)

```

onPublishClick = () => {
  let app = this;
  let stream = this.state.publishStream;
  ...
  if (!stream) {
    ...
    app.publishStream();
  } else {
    app.setState({publishButtonDisabled: true});
    stream.stop();
  }
}

```

#### 11. Receiving the event confirming the stream is unpublished

STREAM\_STATUS.UNPUBLISHED [code](#)

```

publishStream = () => {
  let app = this;
  let session = this.state.session;
  let streamName = this.state.publishStreamName;
  let localVideo = this.state.localVideo;

  if(session && localVideo) {
    session.createStream({
      ...
    }).on(STREAM_STATUS.PUBLISHING, (stream) => {
      ...
    }).on(STREAM_STATUS.UNPUBLISHED, () => {
      app.setState({publishStatus: STREAM_STATUS.UNPUBLISHED, publishStatusClass: 'text-success'});
      app.onUnpublished();
    }).on(STREAM_STATUS.FAILED, () => {
      ...
    }).publish();
  }
}

```

## 12. Connection closing

`Session.disconnect()` [code](#)

```

onConnectClick = () => {
  let app = this;
  let url = this.state.serverUrl;
  let session = this.state.session;

  if (!session) {
    ...
  } else {
    app.setState({connectButtonDisabled: true});
    session.disconnect();
  }
}

```

## 13. Receiving the event confirming the connection is closed

`SESSION_STATUS.DISCONNECTED` [code](#)

```

onConnectClick = () => {
  let app = this;
  let url = this.state.serverUrl;
  let session = this.state.session;

  if (!session) {
    ...
    Flashphoner.createSession({urlServer: url}).on(SESSION_STATUS.ESTABLISHED, (session) => {
      ...
    }).on(SESSION_STATUS.DISCONNECTED, () => {
      app.setState({sessionStatus: SESSION_STATUS.DISCONNECTED, sessionStatusClass: 'text-success'});
      app.onDisconnected();
    }).on(SESSION_STATUS.FAILED, () => {
      ...
    });
    ...
  }
}

```