

Использование и доступ к командной строке административного модуля

Доступ к командной строке административного модуля осуществляется через SSH на порту 2000. Для открытия можно использовать как Linux-SSH клиент командной строки так и любой другой, например Putty.

```
ssh -p 2000 localhost
username: admin
password: admin
```

Имя пользователя и пароль необходимо будет поменять на безопасные при вводе в эксплуатацию. Для этого воспользуйтесь разделом [Настрой](#) [ки WCS Manager](#).

Наберите help в командной строке для получения справочной информации.

```
> help
Try one of these commands with the -h or --help switch:

NAME      DESCRIPTION
add        Add properties
grep       search file(s) for lines that match a pattern
start      Start command
save       Save commands
show       Use to retrieve info from server
update     Update property
loadtool   Configure/start load tests
remove     Remove property
call       Call commands
qa         Quality Assurance
node       manage server node
reload     Use to reload anything from server
watchdog   Watch Dog Manager
stop       Stop command
passwd     change password
egrep      search file(s) for lines that match a pattern
filter     a filter for a stream of map
man        format and display the on-line manual pages
help       provides basic help
repl       list the repl or change the current repl
```

Для вывода подробной информации о команде можно воспользоваться ключом -h или справочной командой man.

```
> node -h
usage: node [-h | --help] COMMAND [ARGS]

The most commonly used node commands are:
  restart      restart server node
  start        start server node
  stop         stop server node
```

```
> man node
NAME
    node - manage server node

SYNOPSIS
    node [-h | --help] COMMAND [ARGS]

PARAMETERS
    [-h | --help]
        Display this help message

COMMANDS
    restart
        Restart server node

    start
        Start server node

    stop
        Stop server node
```