

Injecting one stream into another

- [Overview](#)
 - [Supported codecs](#)
 - [Known limits](#)
- [Injection implementation in builds before 5.2.1618](#)
 - [Injection management using REST API](#)
 - [REST queries and responses](#)
 - [Parameters](#)
 - [Injecting a VOD stream from file](#)
 - [Configuration](#)
- [Injection implementation in build 5.2.1618 and newer](#)
 - [Configuration](#)
 - [REST API](#)
 - [REST queries and responses](#)
 - [Parameters](#)
 - [Injecting a VOD stream from file](#)
- [Quick testing](#)
- [Known issues](#)

Overview

Since build [5.2.841](#) it is possible to inject one stream published on server into another. This feature can be used, for example, to add advertising material into a stream. The original stream content will be fully replaced by injected stream one until injected stream is stopped or injection is terminated.

Supported codecs

Video:

- H264
- VP8

Audio:

- Opus
- AAC
- G711

Known limits

1. Both streams to which injection is applied must be encoded with the same audio and video codecs.
2. Audio tracks in both streams should have the same samplerate and channels number.
3. Injection cannot be applied to SIP call streams. Use the special [audio](#) and [video](#) injection technologies for SIP call streams.
4. Only one stream can be injected into the stream simultaneously, but one stream can be injected into multiple streams.
5. Cyclic injection is not supported. It is not possible to inject stream1 into stream2 and then stream2 into stream1 without terminating the previous injection.

Injection implementation in builds before [5.2.1618](#)

Injection management using REST API

REST query must be HTTP/HTTPS POST request as follows:

- HTTP: <http://test.flashphoner.com:8081/rest-api/stream/inject/startup>
- HTTPS: <https://test.flashphoner.com:8444/rest-api/stream/inject/startup>

Where:

- test.flashphoner.com - WCS server address
- 8081 - standard REST / HTTP port of WCS server
- 8444 - standard HTTPS port
- rest-api - mandatory URL part
- /stream/inject/startup - REST method used

REST queries and responses

REST query	REST query body example	REST response example	Response states	Description
/stream/inject/startup	<pre>{ "localStreamName": "stream1", "remoteStreamName": "stream2" }</pre>		200 - OK 400 - Bad request 404 - Not found 409 - Conflict 500 - Internal error	Inject stream2 into stream1
/stream/inject/find_all		<pre>[{ "localStreamName": "stream1", "remoteStreamName": "stream2" }]</pre>	200 - OK 404 - Not found	Find all injections on the server
/stream/inject/terminate	<pre>{ "localStreamName": "stream1" }</pre>		200 - OK 400 - Bad request 404 - Not found 500 - Internal error	Stop injection into stream1

Parameters

Name	Description	Example
localStreamName	Stream name to inject to	stream1
remoteStreamName	Stream name to be injected	stream2

Injecting a VOD stream from file

Since build [5.2.1535](#) VOD stream directly from a file may be injected while sending the REST query /stream/inject/startup:

```
{
  "localStreamName": "host",
  "remoteStreamName": "vod-live://advertising.mp4"
}
```

In this case, injected file will play without a delay from the first key frame. The file can be injected to another stream, in this case the file also will be played from the beginning in that stream.

This feature is useful, for example, to inject advertising video into a stream being viewed.

Configuration

Since build [5.2.1235](#) the parameter is added to set a time interval to wait for a keyframe in injected stream

```
inject_wait_keyframe_ms=1000
```

By default, the interval is 1000 milliseconds. If no keyframes arrived in injected stream during this time, server will generate a black picture (by default) or apicture from a file set by `custom_watermark_filename` parameter. This behaviour may be switched off by the following parameter

```
inject_wait_keyframe_ms=-1
```

In this case, the stream to be injected to will be played until keyframe arrives in the injected stream.

Injection implementation in build 5.2.1618 and newer

Configuration

Since build 5.2.1618 a new injector implementation is added allowing to choose what exactly to inject: audio, video or both. The feature may be enabled by the following parameter

```
use_new_injector=true
```

REST API

REST query must be HTTP/HTTPS POST request as follows:

- HTTP: <http://test.flashphoner.com:8081/rest-api/stream/inject2/startup>
- HTTPS: <https://test.flashphoner.com:8444/rest-api/stream/inject2/startup>

Where:

- test.flashphoner.com - WCS server address
- 8081 - standard REST / HTTP port of WCS server
- 8444 - standard HTTPS port
- rest-api - mandatory URL part
- /stream/inject2/startup - REST method used

REST queries and responses

REST query	Request body	Response body	Response state	Description
/stream/inject2 /startup	<pre>{ "localStreamName": "test", "remoteStreamName": "test2", "video": true, "audio": true, "muteIfAbsent": true }</pre>		200 - OK 400 - Bad request 404 - Not found 409 - Conflict 500 - Internal error	Inject test2 stream into test stream

/stream/inject2 /find_all		<pre>[{ "streamName": "test", "videoInjectorInfo": { "targetStreamName": "test2", "rootStreamName": "test2", "startTime": 1683344295099 }, "audioInjectorInfo": { "targetStreamName": "test2", "rootStreamName": "test2", "startTime": 1683344295056 } }]</pre>	200 - OK 404 - Not found	Find all injections on the server
/stream/inject2 /terminate	<pre>{ "localStreamName": "test", "video": true, "audio": true }</pre>		200 - OK 400 - Bad request 404 - Not found 500 - Internal error	Stop injection into test stream

Parameters

Parameter	Description	Example
localStreamName	Stream name to inject to	test
remoteStreamName	Stream name to be injected	test2
video	Replace video when injecting	true
audio	Replace audio when injecting	true
mutelfAbsent	Replace a track which is absent in a source stream to black picture or silence	true
videoInjectorInfo	Video information from injected stream	<pre>{ "targetStreamName": "test2", "rootStreamName": "test2", "startTime": 1683344295099 }</pre>
audioInjectorInfo	Audio information from injected stream	<pre>{ "targetStreamName": "test2", "rootStreamName": "test2", "startTime": 1683344295056 }</pre>

Injecting a VOD stream from file

Since build [5.2.1719](#) VOD stream directly from a file may be injected while sending the REST query /stream/inject2/startup:

```
{
  "localStreamName": "host",
  "remoteStreamName": "vod-live://advertising.mp4",
  "video": true,
  "audio": true
}
```

In this case, injected file will play without a delay from the first key frame. The file can be injected to another stream, in this case the file also will be played from the beginning in that stream.

This feature is useful, for example, to inject advertising video into a stream being viewed.

Quick testing

1. For test we use

- WCS server;
- Media Devices web application to publish streams;
- Two webcams, or two different PCs to publish streams;
- Playerweb application to play stream to be injected to;
- Chrome browser and [REST client](#) to send queries to the server

2. Open Media Devices application page, publish stream test in resolution 640x360

☒ **Send Video**

Cam

ManyCam Virtual Webcam ▾

Switch

Screen share

☐ off

Size

640

360

FPS

30

Quick testing

Media Devices

Video stats


Codec: H264
Codec Rate: 90000
Fir Count: 0
Pli Count: 1
Nack Count: 0
Packets Sent: 361
Bytes Sent: 270747
Height: 360
Width: 640
Bitrate: 336728

Audio stats

Codec: opus
Codec Rate: 48000
Packets Sent: 398
Bytes Sent: 32444
Bitrate: 32496

Connection

Local



640x360

test

Stop

Player



dfda

Play

PUBLISHING

wss://test1.flashphoner.com:8443

Disconnect

Timeout

1000

msec

ESTABLISHED

Video stats

Audio stats

Connection

2. Plat the stream test in Player example

Player



WCS URL

wss://test1.flashphoner.com:8443

Stream

test

Volume



Full Screen



PLAYING

Stop

3. Publish adv stream in Media Devices example using another browser tab, another webcam or another PC

☒ Send Video

Cam

OBS Virtual Camera



Switch

Screen share



off

Size

640

360

FPS

30


Media Devices

Video stats
 Codec: H264
 Codec Rate: 90000
 Fir Count: 0
 Pli Count: 3
 Nack Count: 0
 Packets Sent: 781
 Bytes Sent: 417431
 Height: 360
 Width: 640
 Bitrate: 232864

Audio stats
 Codec: opus
 Codec Rate: 48000
 Packets Sent: 905
 Bytes Sent: 68422
 Bitrate: 31760

Connection


Local



640x360

adv
Stop

Player



5f72

Play

PUBLISHING

Disconnect

Timeout msec

ESTABLISHED

4. Open REST client, send /stream/inject/startup query

Method
POST

URL
http://test1.flashphoner.com:8081/rest-api/stream/inject/startup

SEND

HEADERS

BODY

AUTHORIZATION

VARIABLES

```

1 - {
2   "localStreamName": "test",
3   "remoteStreamName": "adv"
4 }
        
```

Response

200 OK


91 B

69 ms


```

Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
        
```

5. adv stream content is playing in test stream



6. Send /stream/inject/terminate query



7. Original test stream content is playing again

Player



WCS URL

wss://test1.flashphoner.com:8443

Stream

test

Volume



Full Screen



PLAYING

Stop

Known issues

1. Video and audio may be out of sync after stopping injection of one RTMP stream into another

Symptoms: When one RTMP stream is injected into another, the original RTMP stream may play with a strong audio/video unsync after injected stream stops

Solution: enable RTMP incoming streams bufferization

```
rtmp_in_buffer_enabled=true
```