


REST Methods

Overview

WCS integrates with the backend server using REST / HTTP calls or REST hooks or methods as we call them.

Therefore, you provide the WCS server with the script API, and WCS sends data on connections, calls, video streams etc to the API



REST hooks can be used to:

- Authenticate connections to the server by token or by password
- Receive real-time information about connects, disconnects, started and ended streams, calls and so on
- Redefine data received from the client. For example, you can rename a stream or hide its real name or redirect a call
- Implement custom signaling with Websocket transmission of data. For example, send a text message in the chat to all connected clients

REST methods should be implemented as simple HTTP / HTTPS scripts that work in pair with JSON in the body of an HTTP request and return JSON in the HTTP body of responses.

Request

Protocol	HTTP/HTTPS
URL	`http://path/method` or `https://path/method`
Method	POST
Content-Type	application/json
Body	JSON

Response

In response, WCS should receive a standard HTTP response containing the body of JSON

status	200
Reason phrase	OK
Body	JSON

Disabling REST hooks

REST hook sending is enabled by default. To disable it, the following parameter must be set in [flashphoner.properties](#) file

```
disable_rest_requests=true
```

Backend server response delays handling

Backend server response to WCS requests delays are possible under high load. Maximum duration of such delays can be controlled with the following parameter in [flashphoner.properties](#) file

```
rest_request_timeout=15
```

By default, maximum backend server response delay duration set to 15 seconds. If backend response is not received during this time, the exception will be printed to [server logs](#)

```
09:05:17,012 ERROR          RestClient - API-ASYNC-pool-12-thread-2 Got
exception in REST
java.net.SocketTimeoutException: Read timed out
```

The error will be handled as set in [restClientConfig](#).

It is strongly recommended to set maximum backend server response delay duration from 1 to 10 seconds. The value

```
rest_request_timeout=0
```

fully disables delay control.

Exceptions handling while sending a request

Since build [5.2.1475](#), if an error occurs while sending a request to backend server, a number of retries will be performed, 3 by default:

```
rest_client_request_retry_count=3
```

Exceptions handling can be disabled by the following parameter

```
rest_client_request_sent_retry_enabled=false
```

In this case, if request sending fails, no retries are performed, and a corresponding exception is written to server log, for example

```
10:32:43,072 ERROR          RestClient - API-ASYNC-pool-13-thread-15 Got  
exception in REST  
org.apache.http.NoHttpResponseException: localhost:8081 failed to respond
```