

Republishing to WCS


1. Preparing to the test

For the test we use:

- the demo server at `demo.flashphoner.com`;
- the [Two Way Streaming](#) web application to publish streams;
- the Chrome browser and the [REST client](#) to send REST queries.
- the [Player](#) web application to play the stream on the target WCS server.


2. Start a broadcast from a web camera to the WCS server

Open the Two-way Streaming application. Publish the broadcast, then copy the identifier of the stream:



3. Republish the stream using REST API

Open the [REST client](#). Send the `/push/startup` query to the WCS server specifying the identifier of the broadcast in the `streamName` parameter and the URL of the WCS server to republish the stream in the `rtmpUrl` parameter:




Copy the session identifier and the name of the stream republished to the WCS server from the query response:



4. Checking if the WCS server receives the stream

On the target WCS server open the Player application. Set the URL of the WCS server and the stream name from the previous step in the `Stream` field. Click `Play`:

Player




WCS URL

Stream

5. Stop stream republishing

Send the `/push/terminate` query and specify the session identifier in the `mediaSessionId` parameter of the query:



Method: POST Request URL: http://p11.flashphoner.com:9091/rest-api/push/terminate

Parameters: Headers Body Variables

Body content type: application/json Editor view: Raw input

FORMAT JSON MINIFY JSON

```
{
  "mediaSessionId": "qsdd6pb1f0t0ksja0jl2a0u1vb"
}
```

200 OK 234.70 ms DETAILS

The player stops displaying the picture, and there is the **FAILED** message in the bottom of the window:

