

# Bitrate management when capturing WebRTC stream in browser

## Overview

For optimal picture quality with available channel bandwidth video bitrate should be managed while capturing WebRTC stream in browser. WCS server allows to limit minimum and maximum video bitrate for stream published. Audio bitrate is not managed.

WCS builds before [5.2.1825](#) use [REMB](#) to manage a publishing bitrate. Since build [5.2.1825](#) [TWCC](#) is used by default.

## Platforms and browsers supported

	Chrome	Firefox	Safari	Edge
Windows	✓	✓	✗	✓
Mac OS	✓	✓	✓	✓
Android	✓	✓	✗	✓
iOS	✓	✓	✓	✓

## Settings

### REMB

Since build [5.2.1825](#) REMB support should be enabled by the following parameter

```
webrtc_cc2_twcc=false
```

The following WCS settings are intended to limit publishing bitrate:

Parameter	Browser side (JavaScript)	Server side (flashphoner.properties)
Minimum bitrate limit	<code>constraints.video.minBitrate</code>	<code>webrtc_cc_min_bitrate</code>

Parameter	Browser side (JavaScript)	Server side (flashphoner.properties)
Maximum bitrate limit	<code>constraints.video.maxBitrate</code>	<code>webrtc_cc_max_bitrate</code>

On browser side, bitrate limits are set in kilobits per second, for example

```
constraints.video.maxBitrate=600
```

and on server side limits are set in bits per second

```
webrtc_cc_max_bitrate=600000
```

If the limits are set on both sides, browser settings take precedence over server settings.

If browser settings are not defined, server settings are applied.

If none of limits are set, default settings are applied

```
webrtc_cc_min_bitrate=30000
webrtc_cc_max_bitrate=1000000
```

These settings work in most modern browsers and define the [REMB](#) bitrate management limits.

### How it works

If `maxBitrate` is set, WCS server will send REMB command to decrease bitrate when this limit is reached.

If `minBitrate` is set, WCS server will stop sending REMB command to decrease bitrate when this limit is reached.

Therefore, the settings define 3 ranges with its own bitrate management algorithm:

Nº	Range	Algorithm
1	<code>[0, minBitrate]</code>	WCS stops bitrate management and not send any REMB commands
2	<code>[minBitrate, maxBitrate]</code>	WCS server makes active bitrate management: depending on jitter and incoming traffic uniformity WCS decides to send REMB commands to decrease bitrate. If channel is good, WCS does nothing and bitrate is not decreasing

Nº	Range	Algorithm
3	<code>[maxBitrate, ...]</code>	WCS constantly sends bit rate decrease commands until it reduce to `maxBitrate`

## TWCC

Since build [5.2.1825](#), TWCC is enabled by default

```
webrtc_cc2_twcc=true
```

When TWCC is used, bitrate may be limited via publishing constraints at browser side only, in kbps

```
constraints.video.minBitrate=500
constraints.video.maxBitrate=1000
```

TWCC bitrate settings work in Android SDK [1.1.0.62](#), iOS SDK [2.6.122](#) and WebSDK [2.0.239](#).

## How to enforce bitrate increasing

Bitrate increasing can be enforced in [Chromium browsers](#) only by setting `x-google-max-bitrate` and `x-google-min-bitrate` parameters via [SDP hook](#).

It is impossible to enforce bitrate rising with client and server settings, only bitrate decreasing can be managed.

In this case, Chrome specific settings take precedence if they are set, i.e. `constraints` and server settings will be ignored.

In the latest Chrome builds, the option `videoContentHint: "motion"` should be set when enforcing bitrate on browser side, because Chrome drops publishing bitrate in prefer to resolution when one of the other values is set

```
session.createStream({
  name: streamName,
  display: localVideo,
  ...
  videoContentHint: "motion"
}).publish();
```

## Enforcing bitrate increasing in Chrome browser with server parameters

Chrome browser SDP bitrate settings can be adjusted on server side using the following parameters

```
webrtc_sdp_min_bitrate_bps=3000000  
webrtc_sdp_max_bitrate_bps=7000000
```

These parameters are set in bps. In the example above, the settings have a same effect as

```
x-google-max-bitrate=7000;x-google-min-bitrate=3000
```

These settings are intended for Chromium-based browsers. Also, they are applied when Safari 12 or newer is used.

Bitrate enforcing does not work in Firefox.

## Usage

Bitrate limiting in certain borders can be useful for example when publishing video to Safari browser subscribers. This browser is sensitive to bitrate jumps, in this case picture quality loses until freeze and browser hangs. It is recommended to stabilize bitrate when publishing streams for Safari viewers by setting narrow limits of bitrate change, for example

```
constraints.video.minBitrate=600  
constraints.video.maxBitrate=600
```

In this case picture quality in Safari browser will be acceptable depending on channel bandwidth and state.

Bitrate rising needs to be enforced when publishing HD and 4K streams. In this case, Chrome browser is recommended for publishing.

## Known issues

1. In some Chrome versions (Chrome 75 for example) browser holds publishing bitrate on low limit when publishing WebRTC H264 stream

### Symptoms

With SDP settings

```
x-google-min-bitrate=3000;x-google-max-bitrate=7000
```

the publishing bitrate is held on 3000 kbps while channel bandwidth is on 20 Mbps.

✓ **Solution**

double bitrate limits, for example

```
webrtc_sdp_min_bitrate_bps=6000000  
webrtc_sdp_max_bitrate_bps=14000000
```