

SIP as RTMP

Example of a video stream republishing from SIP call to RTMP server

This example demonstrates how to make a call to SIP, receive audio and video traffic from SIP in response and then redirect the received video stream to a third-party RTMP server or to a built into the WCS RTMP server, or to a third-party CDN accepting RTMP streams for further broadcasting.

SIP as RTMP Broadcasting

SIP Details

Login
SIP Auth Name
Password
Domain
SIP Outbound Proxy
Port
App Key
☐ Register Required ☒ hasAudio ☒ hasVideo

RTMP Target Details

RTMP URL
Stream

RTMP playback URL

Copy this URL to a third party player

s2zWEB-VZjl63-mg8xxjYP-mGnc3E5Nk>>> rtmp://localhost:1935/live

ESTABLISHED

The screenshot illustrates the following:

1. In the left part, we fill in the data of the SIP account we will be using for the call. If the SIP server requires no authorization, you can specify arbitrary login and password, like `abcd`.
2. In the right part, we enter the RTMP address of the server and the name of the video stream. This address will accept the redirected SIP traffic as soon as connection is successfully established.
3. Call the SIP subscriber `10006`. Below, we have an option to send a DTMF signal if the SIP side implements a voice menu. After the connection to SIP is successfully established, the `ESTABLISHED` status is displayed.

4. RTMP playback URL may be copied to a third party player (ffplay, VLC etc)

Code of the example

This example is a simple REST client written on JavaScript, available at:

/usr/local/FlashphonerWebCallServer/client/examples/demo/sip/sip-as-rtmp.html

- sip-as-rtmp.js - a script dealing with REST calls to the WCS server
- sip-as-rtmp.html - example page

Analyzing the code

To examine the code, let's take this version of the `sip-as-rtmp.js` with the hash `ecbadc3` which is available [here](#) and can be downloaded with the corresponding build [2.0.212](#).

1. REST / HTTP queries sending

[code](#)

Sending is done using POST method with `ContentType: application/json` by AJAX query using JQuery framework.

```
function sendREST(url, data) {
    console.info("url: " + url);
    console.info("data: " + data);
    $.ajax({
        url: url,
        beforeSend: function ( xhr ) {
            xhr.overrideMimeType( "text/plain;" );
        },
        type: 'POST',
        contentType: 'application/json',
        data: data,
        success: handleAjaxSuccess,
        error: handleAjaxError
    });
}
```

2. Making outgoing call with REST-request `/call/startup`

[code](#)

Connection data (`connection`) to establish connection and call data (`RESTCall`) are collected from the boxes on page.

```

var url = field("restUrl") + "/call";
callId = generateCallID();

var connection = {};
connection.sipLogin = field("sipLogin");
connection.sipPassword = field("sipPassword");
connection.sipPort = field("sipPort");
connection.sipDomain = field("sipDomain");
connection.appKey = field("appKey");
connection.sipRegisterRequired = field("sipRegisterRequired");

for (var key in connection) {
    setCookie(key, connection[key]);
}

var RESTCall = {};
RESTCall.rtmpStream = field("rtmpStream");
RESTCall.hasAudio = field("hasAudio");
RESTCall.hasVideo = field("hasVideo");
RESTCall.callId = callId;
RESTCall.rtmpUrl = field("rtmpUrl");

for (var key in RESTCall) {
    setCookie(key, RESTCall[key]);
}

RESTCall.connection = connection;
RESTCall.callee = field("callee");

var data = JSON.stringify(RESTCall);

sendREST(url, data);
startCheckStatus();
sendDataToPlayer();

```

3. The status of the SIP call is monitored with the `/call/getStatus` query

code

```

function getStatus() {
    var url = field("restUrl") + "/getStatus";
    var currentCallId = { callId: callId };
    $("#callTrace").text(callId + " >>> " + field("rtmpUrl"));
    var data = JSON.stringify(currentCallId);
    sendREST(url, data);
}

```

4. If the PBX has a voice menu, the DTMF signal can be sent using the `/call/sendDTMF` query.

code

```
function sendDTMF(value) {  
    var url = field("restUrl") + "/sendDTMF";  
    var data = {};  
    data.callId = callId;  
    data.dtmf = value;  
    data.type = "RFC2833";  
    data = JSON.stringify(data);  
    sendREST(url, data);  
}
```

5. RTMP URL displaying on the page to copy to a third party player

code

```
function sendDataToPlayer() {  
    var host = field("rtmpUrl")  
        .replace("localhost", window.location.hostname)  
        .replace("127.0.0.1", window.location.hostname);  
  
    var rtmpStreamPrefix = "rtmp_";  
    var url = host + "/" + rtmpStreamPrefix + field("rtmpStream");  
    $("#player").text(url);  
}
```