

Тип 4 - входящий вызов

Описание работы входящего вызова на примере `OnCallEvent`

Входящий вызов может быть инициирован в случае входящего SIP-звонка. В этом случае на бэкенд сервере вызывается REST-метод `OnCallEvent`, который несет информацию о входящем звонке.

Из этой диаграммы видно, что `/OnCallEvent` сначала идет на бэкенд сервер на шаге 2, а затем соответствующее событие входящего звонка обрабатывает клиент на шаге 4.

Пример:

REST hook

```
POST /rest/my_api/OnCallEvent HTTP/1.1
Accept: application/json
Content-Type: application/json;charset=UTF-8
User-Agent: Java/1.8.0_111
Host: 192.168.1.101
Connection: keep-alive
Content-Length: 3614

{
  "nodeId" : "ah20GKYnbYKxjJmdh1zDs6c1lWkn0Q0t@46.101.108.90",
  "appKey" : "defaultApp",
  "sessionId" : "/8.8.8.8:56046/46.101.108.90:8443",
  "callId" : "pbx-8BD6EE910B71BE609010-3434@h79n40.etc.tario.ru",
  "incoming" : true,
  "status" : "PENDING",
  "caller" : "PPP009",
  "callee" : "PPP005",
  "hasAudio" : true,
  "hasVideo" : false,
  "mediaProvider" : "WebRTC",
  "isMsrp" : false,
  "holdForTransfer" : false
}
```

Backend response

```
HTTP/1.1 200 OK
Date: Tue, 28 Feb 2017 17:35:44 GMT
```

```


Server: Apache/2.2.15 (CentOS)
X-Powered-By: PHP/5.3.3
Content-Length: 3656
Connection: close
Content-Type: application/json

{
  "nodeId" : "ah20GKYnbYKxjJmdh1zDs6c1lWkn0Q0t@46.101.108.90",
  "appKey" : "defaultApp",
  "sessionId" : "/8.8.8.8:56046/46.101.108.90:8443",
  "callId" : "pbx-8BD6EE910B71BE609010-3434@h79n40.etc.tario.ru",
  "incoming" : true,
  "status" : "PENDING",
  "caller" : "PPP009",
  "callee" : "PPP005",
  "hasAudio" : true,
  "hasVideo" : false,
  "mediaProvider" : "WebRTC",
  "isMsrp" : false,
  "holdForTransfer" : false
}

```

Обработка ошибок

Если бэкенд сервер возвращает ошибку, то на клиента транслируется событие `SESSION_STATUS.WARN`, а инициатору вызова (в данном случае SIP-стороне) возвращается статус ошибки.



Пример:

REST hook

```
POST /rest/my_api/OnCallEvent HTTP/1.1
Accept: application/json
Content-Type: application/json;charset=UTF-8
User-Agent: Java/1.8.0_111
Host: 192.168.1.101
Connection: keep-alive
Content-Length: 3639

{
  "nodeId" : "ah20GKYnbYKxjJmdh1zDs6c1lWkn0Q0t@46.101.108.90",
  "appKey" : "defaultApp",
  "sessionId" : "/8.8.8.8:56046/46.101.108.90:8443",
  "callId" : "pbx-8BD6EE910B71BE609010-3434@h79n40.etc.tario.ru",
  "incoming" : true,
  "status" : "PENDING",
  "caller" : "PPP009",
  "callee" : "PPP005",
  "hasAudio" : true,
  "hasVideo" : false,
  "mediaProvider" : "WebRTC",
  "isMsrp" : false,
  "holdForTransfer" : false
}
```

Backend response

```
HTTP/1.1 403 Forbidden
Date: Tue, 28 Feb 2017 13:44:39 GMT
Server: Apache/2.2.15 (CentOS)
X-Powered-By: PHP/5.3.3
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8
```